



# Weights and packaging

## → DCY

01/10

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
DCY 032	0,33	0,30	24	125
DCY 032 S & MMS	0,33	0,30	24	/
DCY 033	0,33	0,30	24	/
DCY 033 S & MMS	0,33	0,30	24	/
DCY 052	0,38	0,35	24	/
DCY 052 S & MMS	0,38	0,35	24	/
DCY 053	0,38	0,35	24	125
DCY 053 S & MMS	0,38	0,35	24	/
DCY 082	0,41	0,40	24	/
DCY 082 S & MMS	0,43	0,40	24	/
DCY 083	0,43	0,40	24	/
DCY 083 S & MMS	0,40	0,35	24	/
DCY 084	0,48	0,45	24	90
DCY 084 S & MMS	0,48	0,45	24	/
DCY 162	0,94	0,90	16	/
DCY 162 S & MMS	0,94	0,90	16	/
DCY 163	0,94	0,90	16	/
DCY 163 S & MMS	0,94	0,90	16	/
DCY 164	0,99	0,95	16	/
DCY 164 S & MMS	0,99	0,95	16	/
DCY 165	1,04	1,00	16	48
DCY 165 S/MMS	1,04	1,00	16	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
DCY 302	1,42	1,35	12	/
DCY 303	1,42	1,35	12	/
DCY 303 S & MMS	1,42	1,35	12	/
DCY 304	1,47	1,40	12	/
DCY 304 S & MMS	1,47	1,40	12	/
DCY 305	1,57	1,50	12	/
DCY 305 S/MMS	1,57	1,50	12	/
DCY 307 S & MMS	1,62	1,55	12	/
DCY 414	2,80	2,10	6	/
DCY 415	2,90	2,20	6	/
DCY 415 S/MMS	2,90	2,20	6	/
DCY 417 S & MMS	2,95	2,25	6	/
DCY 755	2,78	2,70	6	/
DCY 756	2,78	2,70	6	/
DCY 756 S & MMS	2,78	2,70	6	/
DCY 967 S & MMS	2,83	2,75	6	/
DCY 969 S & MMS	2,93	2,85	6	/
DCY 032 MF	0,33	0,30	24	/
DCY 052 MF	0,43	0,40	24	/
DCY 053 MF	0,43	0,40	24	/
DCY 082 MF	0,48	0,45	24	/
DCY 083 MF	0,48	0,45	24	/
DCY 163 MF	0,99	0,95	16	/

## → DDCY

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
DDCY 082	0,43	0,40	24	/
DDCY 082 S & MMS	0,43	0,40	24	/
DDCY 083	0,43	0,40	24	/
DDCY 083 S & MMS	0,43	0,40	24	/
DDCY 084	0,53	0,50	24	/
DDCY 084 S & MMS	0,53	0,50	24	/
DDCY 163	0,94	0,90	16	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
DDCY 163 S & MMS	0,94	0,90	16	/
DDCY 164	0,99	0,95	16	/
DDCY 164 S & MMS	0,99	0,95	16	/
DDCY 165	1,04	1,00	16	/
DDCY 165 S/MMS	1,04	1,00	16	/
DDCY 305	1,52	1,45	12	/
DDCY 305 S/MMS	1,52	1,45	12	/
DDCY 307	1,52	1,45	12	/



# Weights and packaging

## → DDNCY

01/10

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>DDNCY 083</b>	0,43	0,40	24	/
<b>DDNCY 164</b>	0,99	0,95	24	/
<b>DDNCY 305</b>	1,57	1,50	24	/

## → RCY

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>RCY 502-3 S</b>	0,35	0,35	1	48
<b>RCY 522 S &amp; MMS</b>	0,45	0,45	1	48
<b>RCY 523 S &amp; MMS</b>	0,45	0,45	1	70
<b>RCY 743 S &amp; MMS</b>	1,01	1,00	1	25
<b>RCY 744 S &amp; MMS</b>	1,01	1,00	1	25

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>RCY 924</b>	1,66	1,65	1	12
<b>RCY 924 S &amp; MMS</b>	1,66	1,65	1	12
<b>RCY 925</b>	2,36	2,35	1	12
<b>RCY 925 S/MMS</b>	2,36	2,35	1	12

## → TSGY

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>TSGY 052</b>	0,48	0,45	24	/
<b>TSGY 082</b>	0,62	0,55	24	/
<b>TSGY 083</b>	0,67	0,60	12	/
<b>TSGY 163</b>	1,14	1,10	12	/
<b>TSGY 164</b>	1,24	1,20	12	/



# Weights and packaging

## → BDCY / BCY / BBCY

01/10

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
BDCY 424 S & MMS	2,85	2,60	1	/
BDCY 425 S/MMS	2,90	2,65	1	/
BDCY 427 S & MMS	2,95	2,70	1	/
BCY 485 S/MMS	4,45	4,20	1	8
BCY 487 S & MMS	4,55	4,30	1	8
BCY 489 S & MMS	4,65	4,40	1	8
BCY 4811 S/MMS	4,70	4,45	1	/
BCY 4813 S & MMS	4,80	4,55	1	/
BCY 4817 S/MMS	5,05	4,80	1	/
BCY 967 S & MMS	5,90	5,60	1	/
BCY 969 S & MMS	5,95	5,65	1	6
BCY 9611 S/MMS	6,15	5,85	1	6
BCY 9613 S & MMS	6,25	5,95	1	6

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
BCY 9617 S/MMS	6,40	6,10	1	/
BCY 1449 S & MMS	7,20	6,85	1	/
BCY 14411 S/MMS	7,40	7,05	1	/
BCY 14413 S & MMS	7,45	7,10	1	/
BCY 14417 S/MMS	7,70	7,35	1	/
BCY 19213 S & MMS	8,65	8,25	1	/
BCY 19217 S/MMS	9,05	8,65	1	/
BBCY 20017 S/MMS	15,70	14,40	1	/
BBCY 20021 S & MMS	15,80	15,10	1	/
BBCY 30021 S & MMS	18,80	18,05	1	/
BBCY 40017 S/MMS	21,00	20,10	1	/
BBCY 40021 S & MMS	22,20	21,30	1	/
BBCY 40025 S & MMS	23,90	23,00	1	/

## → BDCY / ACY / BACY

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
BDCY 424 S & MMS	2,85	2,60	1	/
BDCY 425 S/MMS	2,90	2,65	1	/
BDCY 427 S & MMS	2,95	2,70	1	/
ACY 489 S & MMS	4,60	4,35	1	8
ACY 4811 S/MMS	4,70	4,45	1	8
ACY 4813 S & MMS	4,85	4,60	1	8
ACY 4817 S/MMS	5,05	4,80	1	8
ACY 4821 S & MMS	5,45	5,20	1	/
ACY 4825 S & MMS	5,75	5,50	1	/
ACY 9617 S/MMS	6,70	6,40	1	/
ACY 9621 S & MMS	6,85	6,55	1	/
ACY 9625 S & MMS	7,15	6,85	1	/
ACY 14417 S/MMS	7,65	7,30	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
ACY 14421 S & MMS	8,20	7,85	1	/
ACY 14425 S & MMS	8,45	8,10	1	/
ACY 19217 S/MMS	8,90	8,50	1	/
ACY 19221 S & MMS	9,60	9,20	1	/
ACY 19225 S & MMS	9,90	9,50	1	/
BACY 10021 S & MMS	13,30	12,70	1	/
BACY 10025 S & MMS	13,40	12,80	1	/
BACY 10029 S & MMS	13,50	12,90	1	/
BACY 10033 S & MMS	14,40	13,80	1	/
BACY 20025 S	16,40	15,70	1	/
BACY 20029 S & MMS	16,60	15,90	1	/
BACY 20033 S & MMS	16,90	16,20	1	/
BACY 40033 S & MMS	23,80	22,90	1	/



## Weights and packaging

### → CCY / PLATINIUM

01/10

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
CCY 42 HP	0,77	0,68	20	/
CCY 48 HP	0,90	0,79	15	/
CCY 100 HP	1,75	1,52	6	/
PLATINIUM 48	0,90	0,79	15	/
CCY 42 N	0,62	0,53	20	/
CCY 48 N	0,81	0,70	15	/
CCY 100 N	1,58	1,36	6	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
CCY 42 F	0,15	0,06	6	/
CCY 48 F	0,18	0,09	15	/
CCY 100 F	0,14	0,13	6	/
CCY 42 I	0,19	0,10	6	/
CCY 48 I	0,21	0,12	15	/
CCY 100 I	0,27	0,18	6	/
CCY 48 HU	0,41	0,30	15	/

### → VCYL

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
VCYL 12	0,11	0,10	1	/
VCYL 13	0,21	0,20	1	/
VCYL 14	0,26	0,25	1	/
VCYL 15	0,31	0,30	1	8
VCYL 22	0,16	0,15	8	8
VCYL 23	0,21	0,20	8	8
VCYL 24	0,26	0,25	1	8
VCYL 25	0,29	0,28	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
VCYL 32 S & MMS	0,12	0,10	1	/
VCYL 33 S & MMS	0,12	0,10	1	/
VCYL 34 S & MMS	0,17	0,15	1	/
VCYL 35 S/MMS	0,22	0,20	1	/
VCYL 36 S & MMS	0,25	0,22	1	/
VCYL 37 S & MMS	0,28	0,25	1	/
VCYL 39 S & MMS	0,28	0,25	1	/
VCYL 52 S & MMS	0,12	0,10	1	/
VCYL 53 S & MMS	0,12	0,10	1	/
VCYL 54 S & MMS	0,17	0,15	1	/
VCYL 55 S/MMS	0,22	0,20	1	/

### → VCYLS

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
VCYLS 5	0,11	0,10	10	/
VCYLS 7	0,11	0,10	10	/
VCYLS 9	0,11	0,10	10	/
VCYLS 11	0,11	0,10	10	/
VCYLS 13	0,11	0,10	10	/
VCYLS 17	0,11	0,10	10	/
VCYLS 21	0,11	0,10	10	/



## Weights and packaging

### → FILTRY

01/10

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>FILTRY 3 S &amp; MMS</b>	0,31	0,30	16	/
<b>FILTRY 4 S &amp; MMS</b>	0,31	0,30	16	/
<b>FILTRY 5 S &amp; MMS</b>	0,31	0,30	16	/

### → FCY

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>FCY 702</b>	0,39	0,35	16	/
<b>FCY 702 S &amp; MMS</b>	0,39	0,35	16	/
<b>FCY 703</b>	0,44	0,40	16	/
<b>FCY 703 S &amp; MMS</b>	0,44	0,40	16	/
<b>FCY 894</b>	0,57	0,50	1	/
<b>FCY 894 S &amp; MMS</b>	0,57	0,50	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>FCY 895</b>	0,67	0,60	1	/
<b>FCY 895 S/MMS</b>	0,67	0,60	1	/
<b>FCY 896 S &amp; MMS</b>	0,67	0,60	1	/
<b>FCY 897 S &amp; MMS</b>	0,72	0,65	1	/
<b>FCY 899 S &amp; MMS</b>	0,72	0,65	1	/
<b>FCY 8911 S/MMS</b>	0,92	0,85	1	/

### → FACY

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>FACY 283</b>	0,94	0,90	12	/
<b>FACY 284</b>	0,99	0,95	12	/
<b>FACY 285</b>	1,04	1,00	12	/
<b>FACY 285 S/MMS</b>	1,04	1,00	12	/
<b>FACY 286 S &amp; MMS</b>	1,04	1,00	12	/
<b>FACY 287 S &amp; MMS</b>	1,04	1,00	12	/
<b>FACY 289 S &amp; MMS</b>	1,14	1,10	12	/
<b>FACY 489 S &amp; MMS</b>	1,77	1,70	6	/
<b>FACY 4811 S/MMS</b>	1,97	1,90	6	/
<b>FACY 4813 S &amp; MMS</b>	2,07	2,00	6	/



## Weights and packaging

### → NCY / FNCY

01/10

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
NCY 63	0,43	0,40	24	/
NCY 63 S & MMS	0,43	0,40	24	/
NCY 73	0,99	0,95	16	/
NCY 73 S & MMS	0,99	0,95	16	/
NCY 74	1,04	1,00	16	/
NCY 74 S & MMS	1,04	1,00	16	/
NCY 75	1,54	1,50	16	/
NCY 75 S/MMS	1,54	1,50	16	/
NCY 76	1,54	1,50	16	/
NCY 76 S & MMS	1,54	1,50	16	/
NCY 77 S & MMS	1,59	1,55	16	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
FNCY 283	1,09	1,05	12	/
FNCY 284	1,14	1,10	12	/
FNCY 285	1,19	1,15	12	/
FNCY 285 S/MMS	1,19	1,15	12	/
FNCY 286 S & MMS	1,22	1,17	12	/
FNCY 287 S & MMS	1,24	1,20	12	/
FNCY 489 S & MMS	2,22	2,15	6	/
FNCY 4811 S/MMS	2,42	2,35	6	/
FNCY 4813 S & MMS	2,47	2,40	6	/

### → SCY

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
SCY 30 S & MMS	0,38	0,35	24	/
SCY 40 S & MMS	0,38	0,35	24	/
SCY 50 S/MMS	0,38	0,35	24	/
SCY 60 S & MMS	1,02	0,95	6	/
SCY 70 S & MMS	1,12	1,05	6	/
SCY 90 S & MMS	1,57	1,50	6	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
SCY 110 S/MMS	1,72	1,65	6	/
SCY 130 S & MMS	1,82	1,75	6	/
SCY 170 S/MMS	6,55	6,20	1	/
SCY 210 S & MMS	10,25	9,85	1	/
SCY 250 S & MMS	14,10	13,70	1	/

### → EVCYAC / EVCYDEAC

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
EVCYAC 2 S et MMS	0,05	0,05	1	/
EVCYAC 3 S & MMS	0,10	0,10	1	/
EVCYAC 4 S et MMS	0,10	0,10	1	/
EVCYAC 5 S & MMS	0,20	0,20	1	/
EVCYAC 6 S et MMS	0,25	0,25	1	/
EVCYAC 7 S & MMS	0,25	0,30	1	/
EVCYAC 9 S et MMS	0,45	0,45	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
EVCYAC 11 S/MMS	0,75	0,75	1	/
EVCYAC 13 S et MMS	1,36	1,35	1	/
EVCYAC 17 S/MMS	2,41	2,40	1	/
EVCYAC 21 S et MMS	3,91	3,90	1	/
EVCYAC 25 S & MMS	5,71	5,70	1	/
EVCYAC 29 S et MMS	7,95	7,95	1	/
EVCYAC 33 S & MMS	8,86	8,85	1	/



## Weights and packaging

### → TSCYS

01/10

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
TSCYS 1002	0,20	0,20	1	/
TSCYS 1002 S & MMS	0,20	0,20	1	/
TSCYS 1003	0,30	0,30	1	/
TSCYS 1003 S & MMS	0,30	0,30	1	/
TSCYS 1004	0,35	0,35	1	/
TSCYS 1004 S & MMS	0,35	0,35	1	/
TSCYS 1005	0,60	0,60	1	/
TSCYS 1005 S & MMS	0,45	0,45	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
TSCYS 1502	0,25	0,25	1	/
TSCYS 1502 S & MMS	0,25	0,25	1	/
TSCYS 1503	0,45	0,45	1	/
TSCYS 1503 S & MMS	0,45	0,45	1	/
TSCYS 1504	0,65	0,65	1	/
TSCYS 1504 S & MMS	0,55	0,55	1	/
TSCYS 1505	0,80	0,80	1	/
TSCYS 1505 S & MMS	0,65	0,65	1	/

### → RLHCY / RLVCY

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
RLHCY 15	1,90	1,55	1	/
RLHCY 25	3,25	2,95	1	/
RLHCY 30	3,70	3,40	1	/
RLHCY 45	5,95	5,55	1	/
RLHCY 60	7,40	6,80	1	/
RLHCY 75	8,75	8,15	1	/
RLHCY 90	10,00	9,40	1	/
RLHCY 120	12,40	11,80	1	/
RLHCY 150	16,60	16,00	1	/
RLHCY 200	20,60	20,00	1	/
RLHCY 250	25,20	23,00	1	/
RLHCY 300	26,45	24,25	1	/
RLHCY 400	32,70	30,50	1	/
RLHCY 500	38,70	36,50	1	/
RLHCY 600	57,70	55,50	1	/
RLHCY 700	64,60	62,40	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
RLVCY 09	1,50	1,10	1	/
RLVCY 15	2,15	1,75	1	15
RLVCY 20	2,75	2,35	1	/
RLVCY 25	3,20	2,95	1	8
RLVCY 30	3,35	3,00	1	/
RLVCY 40	4,20	4,10	1	6
RLVCY 45	5,85	5,55	1	/
RLVCY 60	7,10	6,80	1	/
RLVCY 75	8,50	8,15	1	/
RLVCY 90	10,35	10,00	1	/
RLVCY 120	10,60	10,10	1	/
RLVCY 150	17,15	16,65	1	/
RLVCY 200	20,80	20,15	1	/
RLVCY 250	24,60	24,00	1	/
RLVCY 300	34,80	34,00	1	/
RLVCY 400	42,10	41,30	1	/
RLVCY 500	50,60	49,40	1	/
RLVCY 600	57,20	56,00	1	/
RLVCY 700	64,70	63,50	1	/



# Weights and packaging

## → VCYR

01/10

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	
VCYR 32	0,10	0,10	1	/

## → LCY / LCYE

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
LCY 04 S & MMS	1,28	1,20	6	24
LCY 14 S & MMS	1,78	1,70	6	/
LCY 15 S/MMS	1,85	1,75	6	/
LCY 16 S & MMS	2,03	1,95	6	15
LCY 25 S/MMS	3,55	3,15	1	8
LCY 26 S & MMS	3,60	3,20	1	/
LCY 27 S & MMS	3,70	3,30	1	8
LCY 47 S & MMS	3,40	3,15	1	4
LCY 49 S & MMS	6,00	5,60	1	/
LCY 69 S & MMS	7,55	7,25	1	/
LCY 89 S & MMS	10,20	9,85	1	/
LCY 611 S/MMS	9,45	9,10	1	/
LCY 811 S/MMS	10,60	10,40	1	/
LCY 813 S & MMS	11,95	11,60	1	/
LCY 1011 S/MMS	14,25	13,65	1	/
LCY 1013 S & MMS	14,85	14,25	1	/
LCY 1517 S/MMS	20,85	20,35	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
LCY 1817 S/MMS	25,70	25,20	1	/
LCY 3617 S/MMS	42,80	41,40	1	/
LCY 3621 S & MMS	47,10	45,70	1	/
LCY 3625 S & MMS	48,75	47,35	1	/
LCY 5021 S & MMS	58,50	57,10	1	/
LCY 5025 S & MMS	60,50	59,10	1	/
LCY 7025 S & MMS	76,40	75,00	1	/
LCY 7029 S & MMS	80,40	79,00	1	/
LCYE 25 S & MMS	3,85	3,45	1	/
LCYE 26 S & MMS	4,00	3,60	1	/
LCYE 47 S & MMS	4,85	4,45	1	/
LCYE 69 S & MMS	7,55	7,25	1	/
LCYE 811 S/MMS	10,60	10,40	1	/
LCYE 1013 S & MMS	15,75	15,15	1	/
LCYE 1517 S & MMS	22,35	21,85	1	/
LCYE 3621 S & MMS	48,90	47,50	1	/
LCYE 3625 S & MMS	53,40	52,00	1	/

## → CONDOR-V / CONDOR-H

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
CONDOR-V 100	4,30	4,00	1	/
CONDOR-V 150	5,45	5,00	1	/
CONDOR-V 240	5,45	5,00	1	/
CONDOR-V 500	11,30	11,00	1	/
CONDOR-V 1000	14,30	14,00	1	/
CONDOR-V 1400	7,45	7,00	1	/
CONDOR-V 2500	23,60	23,00	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
CONDOR-H 150	5,45	5,00	1	/
CONDOR-H 250	5,45	5,00	1	/
CONDOR-H 500	11,30	11,00	1	/
CONDOR-H 750	7,45	7,00	1	/
CONDOR-H 1000	14,30	14,00	1	/



# Weights and packaging

## → TURBOIL® / TURBOIL-F®

05/10

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
TURBOIL 1503 S & MMS	2,90	2,65	1	/
TURBOIL 1504 S & MMS	3,35	3,10	1	/
TURBOIL 2505 S/MMS	3,55	3,25	1	/
TURBOIL 3006 S & MMS	3,75	3,45	1	/
TURBOIL 3007 S & MMS	4,20	3,90	1	/
TURBOIL 3009 S & MMS	4,25	3,95	1	/
TURBOIL 3011 S/MMS	5,55	5,20	1	/
TURBOIL 4007 S & MMS	4,20	3,90	1	/
TURBOIL 6009 S & MMS	4,90	4,55	1	/
TURBOIL 6011 S/MMS	6,25	5,90	1	/
TURBOIL 7011 S/MMS	8,50	8,10	1	/
TURBOIL 8013 S & MMS	10,80	10,40	1	/
TURBOIL 9017 S/MMS	11,35	10,95	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
TURBOIL-F 2505 S/MMS	5,25	4,95	1	/
TURBOIL-F 3007 S & MMS	5,60	5,30	1	/
TURBOIL-F 3009 S & MMS	6,10	5,75	1	/
TURBOIL-F 3011 S/MMS	7,20	6,85	1	/
TURBOIL-F 7011 S/MMS	12,10	11,70	1	/
TURBOIL-F 8013 S & MMS	14,35	13,95	1	/
TURBOIL-F 9017 S/MMS	15,90	15,50	1	/
TURBOIL-F 15013 S & MMS	19,05	17,85	1	/
TURBOIL-F 15017 S/MMS	22,15	20,95	1	/
TURBOIL-F 15021 S & MMS	22,85	21,65	1	/
TURBOIL-F 30025 S & MMS	23,95	22,75	1	/

## → TURBOIL-R®

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
TURBOIL-R 22505 S/MMS	8,65	8,05	1	/
TURBOIL-R 23007 S & MMS	10,60	10,00	1	/
TURBOIL-R 23009 S & MMS	10,70	10,10	1	/
TURBOIL-R 23011 S/MMS	10,80	10,20	1	/
TURBOIL-R 47009 S & MMS	11,40	10,80	1	/
TURBOIL-R 47011 S/MMS	11,60	11,00	1	/
TURBOIL-R 48013 S & MMS	14,80	14,20	1	/
TURBOIL-R 49017 S/MMS	14,85	14,25	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
TURBOIL-R 77011 S/MMS	17,30	16,70	1	/
TURBOIL-R 78013 S & MMS	17,40	16,80	1	/
TURBOIL-R 79017 S/MMS	17,45	16,85	1	/
TURBOIL-R 127011 S/MMS	18,95	18,35	1	/
TURBOIL-R 128013 S & MMS	22,15	21,55	1	/
TURBOIL-R 129017 S/MMS	22,20	21,60	1	/
TURBOIL-R 815017 S/MMS	24,25	23,65	1	/
TURBOIL-R 815021 S & MMS	24,95	24,35	1	/
TURBOIL-R 830025 S & MMS	26,05	25,45	1	/

## → HCYR

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
HCYR 40	4,95	4,60	1	/
HCYR 80	9,70	9,10	1	/
HCYR 81	9,30	8,90	1	/
HCYR 120	13,40	12,80	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
HCYR 121	12,95	12,35	1	/
HCYR 150	15,40	14,80	1	/
HCYR 200	18,65	17,85	1	/
HCYR 300	32,50	31,30	1	/



# Weights and packaging

01/10

## → HCYCT / HCYCTR

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>HCYCT 1</b>	0,16	0,15	1	50
<b>HCYCT 3</b>	0,16	0,15	1	50

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>HCYCT 4</b>	0,16	0,15	1	50
<b>HCYCTR</b>	0,23	0,20	1	/

## → HCYF / HCYBF

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>HCYF 52</b>	0,28	0,25	24	/
<b>HCYF 53</b>	0,28	0,25	24	/
<b>HCYF 53 S &amp; MMS</b>	0,28	0,25	24	/
<b>HCYF 83</b>	0,78	0,75	6	/
<b>HCYF 84</b>	0,83	0,80	6	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>HCYBF 485 S/MMS</b>	4,55	4,30	1	/
<b>HCYBF 486 S &amp; MMS</b>	4,60	4,35	1	/
<b>HCYBF 486 N</b>	4,70	4,45	1	/

## → HYDROIL

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	
<b>HYDROIL 163</b>	1,45	1,38	6	/

## → HCYVP

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
<b>HCYVP 43</b>	0,21	0,20	1	/
<b>HCYVP 53 S &amp; MMS</b>	0,11	0,10	1	/



## Weights and packaging

### → HCYN / HCYN 1A

04/11

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
HCYN 2	2,17	2,00	1	/
HCYN 2B	2,12	1,95	1	/
HCYN 2B0	2,27	2,10	1	/
HCYN 2E	2,17	2,00	1	/
HCYN 2R	2,32	2,15	1	/
HCYN 2RB	2,27	2,10	1	/
HCYN 2RE	2,22	2,05	1	/
HCYN 2SC	2,07	1,90	1	/
HCYN 3RB	2,27	2,10	1	/
HCYN 3RE	2,22	2,05	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
HCYN 1A2	0,45	0,45	1	/
HCYN 1A3	0,45	0,45	1	/
HCYN 1A5	0,60	0,60	1	/
HCYN 1A7	0,58	0,58	1	/
HCYN 1A9	0,45	0,45	1	/
HCYN 1A10	0,40	0,40	1	/
HCYN 1A11	0,45	0,45	1	/
HCYN 1A14	0,45	0,45	1	/
HCYN 1A15	0,45	0,45	1	/

### → HCYVI

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
HCYVI 2	0,15	0,15	1	/
HCYVI 2H	0,15	0,15	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
HCYVI 3	0,20	0,20	1	/
HCYVI 3H	0,20	0,20	1	/

### → LEVOIL

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
LEVOIL 22	1,27	1,10	1	/
LEVOIL 23	1,27	1,10	1	/
LEVOIL 23 B0	1,90	1,70	1	/
LEVOIL 23 SC	1,90	1,70	1	/
LEVOIL 23 SU	1,90	1,70	1	/
LEVOIL 33 RE	1,37	1,20	1	/



## Weights and packaging

### → CRCY / CRCYP

04/11

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
CRCY 2	0,06	0,05	1	/
CRCY 2 S & MMS	0,06	0,05	1	/
CRCY 3	0,06	0,05	1	/
CRCY 3 S & MMS	0,06	0,05	1	/
CRCY 4	0,16	0,15	1	/
CRCY 4 S & MMS	0,16	0,15	1	/
CRCY 5	0,21	0,20	1	/
CRCY 5 S/MMS	0,21	0,20	1	/
CRCY 6	0,28	0,25	1	/
CRCY 6 S & MMS	0,28	0,25	1	/
CRCY 7 S & MMS	0,28	0,25	1	/

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
CRCYP 2	0,06	0,05	1	/
CRCYP 2 S & MMS	0,06	0,05	1	/
CRCYP 3	0,06	0,05	1	/
CRCYP 3 S & MMS	0,06	0,05	1	/
CRCYP 4	0,16	0,15	1	/
CRCYP 4 S & MMS	0,16	0,15	1	/
CRCYP 5	0,21	0,20	1	/
CRCYP 5 S/MMS	0,21	0,20	1	/
CRCYP 6	0,28	0,25	1	/
CRCYP 6 S & MMS	0,28	0,25	1	/
CRCYP 7 S & MMS	0,28	0,25	1	/

### → KRCY

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
KRCY 2 S et MMS	0,041	0,040	10	100
KRCY 3 S & MMS	0,066	0,065	10	100
KRCY 4 S et MMS	0,091	0,090	10	100
KRCY 5 S/MMS	0,116	0,115	10	100

CARLY references	Unit weight (kg)		Packaging unit	
	With packaging	Without packaging	standard	OEM'S
KRCY 6 S & MMS	0,186	0,185	10	100
KRCY 23 S & MMS	0,071	0,070	10	100
KRCY 34 S & MMS	0,101	0,100	10	100
KRCY 45 S & MMS	0,131	0,130	10	100

### → CHEMICAL PRODUCTS

CARLY references	Unit weight (kg)	Packaging unit
CARLYLOC	0,51	12
CARLYLOC 500	0,57	15
CARLYLOC 5000	5,40	2
CARLYLOC 25000	26,00	1
CARLYCLEAN 500	0,56	15
CARLYCLEAN 5000	5,25	2
CARLYCLEAN 25000	26,00	1
CARLYBIO 500	0,50	15
CARLYBIO 5000	5,25	2
CARLYBIO 25000	26,00	1
CARLYPRO 500	0,56	15
CARLYPRO 5000	5,25	2
CARLYPRO 25000	26,00	1

CARLY references	Unit weight (kg)	Packaging unit
CARLYNET	0,51	12
CARLYCOAT	0,51	12
CARLYSTEEL	0,51	12
TESTOIL-MAS	0,07	18
TESTOIL-POE	0,07	18
TESTOIL-MP	0,14	16
STOPACID-MAS	0,08	18
STOPACID-POE	0,08	18
DETECTOIL-POE	0,08	18
CARLYCOOL	0,65	8
POMPE 5000	2,02	1
CARLYSPRAY	0,54	1